

Introductory Webinar on VM0042 Methodology for Improved Agricultural Land Management, v2.0

Stefan Jirka – Director, Agriculture and Supply Chain Innovation, Verra

Viridiana Alcantara-Shivapatham – Manager, Agriculture Innovation, Verra

Dan Kane – Senior Manager, Agriculture, TerraCarbon

22 June 2023





Agenda

- 1. VCS Program overview
- 2. VM0042 overview
- 3. Revision process
- 4. Key methodology updates
- 5. VVB accreditation scope requirements
- 6. Q&A



VCS Program Overview



VCS Program Overview



>1,800 projects



> One billion carbon credits issued

Winner VCS: Best GHG Crediting Programme 2012, 2013, 2014, 2015, 2016, 2018, 2019, 2020, 2021, 2022

Voluntary Carbon

Market Rankings

Environmental Finance

2022



Equivalent to the emissions of >260 coal-fired power plants in one year



VCS Program Overview

- VCS Standard
 - Rules and requirements which all projects must follow in order to be registered and issue.
- Accounting Methodologies
 - Quantify GHG ERRs specific each project type
- Independent Auditing
 - Third-party VVBs approved by Verra
- Registry System
 - Central storehouse of data on all registered projects and VCU issuances





VM0042 overview



VM0042 Overview and History

- Incentivizes improved crop and livestock
 management practices
 - E.g., cover cropping, crop rotations, reduced tillage, rotational grazing, improved fertilizer use, etc.
- Enhance soil organic carbon (SOC) stocks and reduce $\rm N_2O$ and $\rm CH_4$ emissions
- GHG quantification via direct measurement, models and/or default emission factors
- Version 1.0 published October 2020

	V Standard
VCS Methodology	
VM0042	
¥1V10042	
METHODOLOG	Y FOR IMPROVED
	Y FOR IMPROVED LAND MANAGEMENT
	LAND MANAGEMENT



VMD0053 Module

- Specific to Quantification Approach 1 Measure and Model
- Procedures for model calibration, validation and verification
 - Empirical or process-based models
 - Standardizes the approach to test model performance
- Model Validation Report (MVR)
 - Assessed by Independent Modeling Experts (IMEs)

VCS Module VMD0053 MODEL CALIBRATION, VALIDATION AND UNCERTAINTY GUIDANCE FOR THE METHODOLOGY FOR IMPROVED AGRICULTURAL LAND MANAGEMENT Version 2.0 30 May 2023 Sectoral Scope 14

Verified Carbon

Standard



VM0042 revision process and details



VM0042 v2.0 Revision Process

- "Major" revision initiated in Q2 2021 per the VCS <u>Methodology</u>
 <u>Development and Review Process</u>
- Verra gathered feedback from dozens of stakeholders to inform draft v2.0
- Viresco Solutions and TerraCarbon supported updates to Section 8.6 Uncertainty
- 45-day public comment period Dec 2021 Jan 2022 with ~500 comments received
- Ad hoc expert groups convened to inform technical issues
- VVB assessment with SCS Global Services
- Final approval and publication May 2023



VM0042 v2.0 – What's New?

- 1. One-time land use change
- 2. Baseline control sites
- 3. Use of proximal sensing technologies
- 4. Independent modeling experts
- 5. Emissions from liming
- 6. Leakage from bioenergy
- 7. Stratified random sampling
- 8. Uncertainty
- And many more clarifications and updates...

VM0042, v					
DOCUMENT HISTORY					
Version	Date	Comment			
v1.0	19 Oct 2020	Initial version			
v2.0	30 May 2023	 Introduction of a baseline control sites option to allow for direct SOC measurement under Quantification Approach 2 Update of Section 8.6 on uncertainty assessment to clarify statistical procedures and align with the VCS Methodology Requirements Introduction of guidance on the use of proximal sensing technologies to estimate SOC content in Appendix 4 Introduction of an applicability condition allowing for one-time land conversion from grassland to cropland or vice versa to restore degraded lands in Section 4 and Appendix 2 Introduction of a requirement and procedures to account for emissions associated with use of agricultural limestone in Section 8.2.4 Introduction of a requirement to account for leakage from diversion of biomass residues used for energy applications in the baseline scenario General improvements, errata and clarifications 			



Land use change to promote mixed systems and restoration

- V1.0 no land use change allowed
- V2.0 allows for one-time land use change cropland <> grassland or vice versa
 - Integrated-crop livestock system
 - Project will restore degraded lands
- See Applicability Condition 3 and Appendix 2





Baseline control sites – Quantification Approach 2

- QA2 Measure and Re-measure
 - Direct SOC measurement no modeling
 - Only for SOC pool
- Baseline control sites are:
 - Matched to project sites according to "similarity criteria"
 - E.g., topography, soil texture/group, SOC content, historical ALM activities and land cover, native vegetation, climate zone, precipitation
 - Managed according to historical baseline practices
 - Measured over time for SOC stock change in parallel to project sites
 - May be controlled by projects or externally, e.g., experimental research stations
- See Section 8.2 and Table 7




Photo: Lynn Ketchum, © Oregon State University



Use of proximal sensing technologies (new Appendix 4)

- Applicability demonstrated in at least 3 peer-reviewed scientific articles
- Monitoring plan and reports must describe:
 - technology and specific equipment and instrument
 - pretreatment or preprocessing methods
 - modeling approach based on proximal sensing data
 - calibration/validation data represent actual project area
- Evaluation criteria provided for:
 - Inelastic neutron scattering (INS)
 - Laser-induced breakdown spectroscopy (LIBS)
 - Mid-infrared (MIR) and visible near-infrared (Vis-NIR and NIR) spectroscopy, including diffuse reflectance spectroscopy (DRS) and diffuse reflectance infrared Fourier transform (DRIFT)
- Service providers may be used if technology
 specificities are made available for VVB review



Senesi, G. S., & Senesi, N. (2016). Laser-induced breakdown spectroscopy (LIBS) to measure quantitatively soil carbon with emphasis on soil organic carbon. A review . Analytica Chimica Acta, 938, 7–17. https://doi.org/10.1016/j.aca.2016.07.039



Independent modeling experts (IMEs)

- Biogeochemical modeling of soil carbon stock changes requires highly specialized expertise
- Model validation report (MVR) shows:
 - VMD0053 procedures are followed
 - Model calibration and validation are specific to model, cropping system, project conditions
 - Data sources for calibration and validation data are applicable to project conditions
- VMD0053, v2.0, Appendix 1 describes model assessment by an IME





Further changes resulting from the revision process (1)

- Section 8.2.4 Carbon Dioxide Emissions from Liming
 - $EL_{bsl,i,t}$ = Carbon dioxide emissions from liming in the baseline scenario for sample unit *i* in year t (t CO₂e)

$$EL_{bsl,i,t} = \left(\left(M_{Limestone, bsl,i} \times EF_{Limestone} \right) + \left(M_{Dolomite, bsl,i} \times EF_{Dolomite} \right) \right) \times \frac{44}{12}$$
(10)

Where:

MLimestone,bsl,i	= Amount of calcitic limestone (CaCO ₃) applied to sample unit <i>i</i> in year t
	(tonnes)
EF Limestone	 Emission factor for calcitic limestone (0.12) (t C per t of limestone)
M Dolomite,bsl,i	 Amount of dolomite (CaMg(CO₃)₂) applied to sample unit <i>i</i> in year t (tonnes)
EFDolomite	 Emission factor for dolomite (0.13) (t C per t of dolomite)
44/12	= Molar mass ratio of CO ₂ to C applied to convert CO ₂ -C emissions to
	CO ₂ emissions



Further changes resulting from the revision process (2)

• Section 8.4.4

Accounting for Leakage from Diversion of Biomass Residues Used for Energy Applications in the Baseline Scenario

 Baseline scenario: manure or crop residues used as fuel for cookstoves or as biomass for power generation


Project scenario: manure application to fields or crop residue retention and increased fossil fuel combustion

CL	EAN DEVELOPMENT MECHANISM
тс	DOL16
Ν	1ethodological tool
Ρ	Project and leakage emissions from iomass



Further changes resulting from the revision process (3)

- Section 8.2.1.2 Sampling Design: Stratified Random Sampling
- Predefined requirement of the sampling strategy to enable independent auditing



de Gruijter, J.J. et al. (2016). Farm-scale soil carbon auditing. Geoderma, 265 (2016), pp. 120-130, 10.1016/j.geoderma.2015.11.010



Uncertainty: Major changes

- Clarification of the 'true-up' process for QA1.
- Inclusion of Monte Carlo approach to uncertainty deduction for QA1.
- Updated uncertainty examples for QA1 to be based on default stratified random sampling.
- Added uncertainty examples for QA2, including examples in which proximal sensing is used.
- Final uncertainty deduction now based on Probability of Exceedance method in order to align with VCS Methodology Requirements, v.4.3 (17 Jan 2023).



Uncertainty: Quantification Approach 1

- QA 1 = Model and measure
 - SOC sampling > initialize process-based model for baseline and project scenarios > difference between scenarios = VCUs
- Key sources of uncertainty
 - Model prediction error How accurately does your model simulate the effect of improved practices on SOC and/or GHG fluxes?
 - Initially determined through VMD0053.
 - Updated periodically based on remeasurement of SOC in the project.
 - Sampling error How does sampling/modeling only a portion of the project contribute to uncertainty of VCU estimates?
 - Sampling design and density determine this number.
 - Scales with intensity of sampling/modeling effort.

- True-up
 - Carbon stocks for the project scenario are periodically re-measured.
 - These data are used to update the estimate of model prediction error and current VCUs the project should be issued.
 - Can also be used to recalibrate the model if the proponent so decides.
- Two uncertainty estimation pathways
 - Analytical approach calculate model prediction error and sampling error separately then combine them to estimate total variance.
 - MC approach generate posteriors for all modeled 'points' in the project that incorporate model prediction error. Iteratively sample from those posteriors to generate estimates of model prediction error and sampling error. Better at capturing errors from models with parameter uncertainty or when error is likely to vary based on specific conditions.



Uncertainty: Quantification Approach 2

- QA 2 = Measure and re-measure
 - SOC sampling in the project area and at control sites that represent the baseline scenario > difference between scenarios = VCUs
- Sources of uncertainty
 - Sampling error How does sampling only a portion of the project and control sites contribute to uncertainty of VCU estimates?
 - Sampling design and density determine this number.
 - Scales with intensity of sampling/modeling effort.
 - Measurement error How accurate is the method you're using to determine SOC content of soil samples?
 - Error is assumed to be negligible when proponents use equivalent soil mass methods and dry combustion in labs with demonstrated quality control.
 - Error of alternative methods, such as soil spectroscopy, must be determined and propagated through to estimates of overall uncertainty.

- Two uncertainty estimation pathways
 - Analytical approach Applicable when conventional dry combustion methods are used. Variance of the estimate of ERRs (project – baseline) is a function of the combined sampling error of project and baseline areas, minus their covariance.
 - MC approach Applicable when using alternative methods such as soil spectroscopy. Generate posteriors for all sample points based on prediction error of spectroscopy model. Iteratively sample from those posteriors to generate estimates of model prediction error and sampling error.



VVB Accreditation Requirements

ISO/UNFCCC Accreditation Requirements to conduct validation/verifications using VM0042



Verra Scope vs. Accreditation Scope

UNFCCC/ISO Accreditation Scopes	VERRA Sectoral Scopes
1. Energy (renewable/non-renewable)	1. Energy (renewable/non-renewable)
2. Energy distribution	2. Energy distribution
3. Energy demand	3. Energy demand
4. Manufacturing industries	4. Manufacturing industries

• VVBs approved for AFOLU, must ensure they have the underlying ISO and/or UNFCCC accreditation scope for conducting Agriculture audits under Scope 15

10. Fugitive emissions from fuels	10. Fugitive emissions from fuels		
11. Fugitive emissions from Industrial gases	11. Fugitive emissions from Industrial gases		
12. Solvent use	12. Solvent use		
13. Waste handling and disposal	13. Waste handling and disposal		
14. Afforestation and reforestation	14. Agriculture, Forestry, Land Use		
15. Agriculture	15. Livestock and manure management		
16. Carbon capture and storage of CO2 in geological format 16. Carbon capture and storage			



Thank you to the experts who provided input!

- Adam von Haden (University of Wisconsin, USA)
- Annette Cowie (NSW Department of Primary Industries, Australia)
- Beth Ziniti (Regrow, USA)
- Beverly Henry
 (Queensland University of Technology, Australia)
- Brian McConkey (Viresco Solutions, Canada)
- Britta Weber (Ruumi, Germany)
- Charlie Brummit (Indigo Ag, USA)
- Ciniro Costa Jr (Alliance of Bioversity International and CIAT, Brazil)
- Cole D. Gross (University of Alberta, Canada)
- Cornelia Rumpel (INRAE, France)
- Dan Kane (TerraCarbon, USA)
- Denis Angers (Laval University, Canada)
- Emily Kyker-Snowman (Yale University, USA)

- Emily Oldfield (EDF, USA)
- Eyal Ben-Dor (Tel Aviv University, Israel)
- Guillermo Peralta (FAO/Carbon Group, Argentina)
- Johannes Lehmann (Cornell University, USA)
- John Wendt (International Fertilizer Development Center, Kenya)
- Jonathan Sandermann (Woodwell Climate Research Center, USA)
- Jose Lucas Safanelli (Woodwell Climate Research Center, USA)
- Mario Guevara (UNAM, Mexico)
- Niklas Witt (Klim, Germany)
- Pete Smith (University of Aberdeen, Scotland)
- Rich Conant (Colorado State University, USA)
- Stefan Hauser (International Institute of Tropical Agriculture, Nigeria)
- Tony Knowles (Cirrus Group, South Africa)





Thank You!

Send follow-up questions to:

- Stefan Jirka sjirka@verra.org
- Dan Kane <u>dan.kane@terracarbon.com</u>
- Viridiana Alcantara-Shivapatham valcantara@verra.org

